ΑΟΤΟΡ ΤΕCΗ CO., LTD

Add: 8th Floor, 4 Bldg., Honghui Industrial Park, Liuxian 2 Road, No.68 Zone, Bao'an District, Shenzhen, China 518101

Tel: (86 755) 85279353 /85279352 E-mail: amy@aotop.com

Skype ID: amy-hu27

Mob.: 86-13544283094 Contact: Amy Hu Http: //www.aotop.com

Addid Picture Item Specification City Pictor Park I park 2 cartors) Image: Control of the second seco	12.3 Inch HD Side Mirror with 1080P Dual Lens Camera Solution for Bus/Truck								
Added Picture Item Specification City - 100 rank 1 pair/2 cartors) And Image: Cartors of the specification City - 100 rank Image: Cartors of the specification Abracket: Standard Image: Cartors of the specification	Main Specification:1080P, Dual Recording, Blind Zone Monitoring								
13100 Image: Single	Aotop Model	Picture		Item Specification					
D1237 Image: Constraint of the second se		12.3 inch mirror		Auto Dimming/Brightness Adjustment Screen Resolution: 1920*720 Vertical Screen Size: 337.7(L) * 155(W) * 117.7(H) Screen view angle: Up, down, right, left over 170° Material of housing: PC+ABS, Anti- flaming UL94 Support max 128GB SD card Power Supply: DC12V-24V(Support DC11.7-30V) Max.current: <2A(12V) / <1A(24V) Standby current: <5mA Reverse response time: 3s 3 triggers: turn light / reverse / headlight Microphone and Speaker Working Temperature: -30°C -+70 °C Storage Temperature: -40°C -+85°C	Drill holes in A pillar	Lock onto grab rail(no need drill holes) extra \$15 for B bracket			
Image: Solution of the second seco	VD1237	Short arm dual lens camera	Long arm dual lens camera	Left/Right Side: Long Arm for Truck Short Arm for Bus Waterproof Level IP69K Nearby Camera: 1080p/30fps, 120°(H)*65°(V) Distant Camera: 1080p/30fps, 85°(H)*50°(V) Support WDR/HDR	(Short arm type, including left and right side, 2 monitors + 2 cameras)	(Long arm type, including left and right side, 2 monitors + 2 cameras)			
Storage temperature: -40 C-85 C				(Optional) Sensor: SONY 225 6G optics lens View angle: H:110°/V:70°/D:130° Resolution: 720P/25FPS System: PAL or NTSC Video format: AHD WDR and starlight night vision Waterproof IP69K, No Audio 4Pin aviation connector Female Stainless steel bracket and cap Power supply: DC12V±10% Working current: <160mA@12V Power consuption: <2.2W@12V	USD35.00				
tention: mple MOQ: 1 Pair=2 Sets(Including left and right side, 2 monitors + 2 cameras)	Attention								

Before ordering sample, please help to confirm below questions:

1, Camera type: Do you need Long arm camera or short arm camera? (We suggest Long arm type for truck, short arm type for bus)

2, Bracket type: Standard with A type bracket, if you need B type mounting bracket for monitor mounting, please let me know, and the quantity.

Remarks:

1, Quotation valid time: One Month

2, Lead time: 45-60 business days after payment (Sample is available within 3-7 days)

3, Two years warranty for above items;

4, Price is just for reference at the moment, please confirm the final price for bulk order!

5, Buy only 12.3 inch mirror monitor, or dual lens long arm or short arm camera is also available now! Please refer to below system quotation.

		ΑΟΤΟΡ	FECH CO., LTD		
		onghui Industrial Park, Liuxian 2 Road : (86 755) 85279353 /85279352 E-mail: amy@aotop.com Skype ID: amy-hu27	d, No.68 Zone, Bao'an District, Sher Mob.: 86-13544283094 Contact: Amy Hu Http: //www.aotop.com	nzhen, China 518101	-
	System: Long arr	n Dual Lens Camera with	10.1 Inch 1080P Rear \	/iew Monitor	
Aotop Model	Pi	cture	Item Specification	Main feature	Unit Price
СМ- 1010НQ		Image: Sector	Screen Size: 10.1 inch HD digital panel A+ Aspect ratio: 15:9 Luminance: 400cd/M2 Resolution: 1024*RGB*600 System: PAL/NTSC automatically (New Software) Video Input: 4 Ways AHD 1080P/720P/CVBS video input Multiple display modes: 19 modes Full screen display or 2/3/4 split view Voltage: DC12V-24V OSD Menu Language: Chinese, English Anti-shock: 4G Bracket: U shape bracktet With sunshade removable, Remote Control Working Temperature: -30-80°C DVR Function optional, if need this function, add extra \$3.50	10.1 inch AHD QUAD; 4 video inputs	USD105.00
VD1237- BR /D-1237- BL			2# Long arm Dual Lens Camera Left or Right Side: Waterproof Level IP69K Nearby Camera: 1080p/30fps, 120°(H)*65°(V) Distant Camera: 1080p/30fps, 85°(H)*50°(V) Support WDR/HDR DC12V Aviation 4pin female connector	Long arm; Left or Right	USD100.00
Aotop	System: Short A	Arm Dual Lens Camera w	ith 7 Inch 1080P Rear Vi	ew Monitor	
Model	Pi	cture	Item Specification	Main feature	Unit Price
СМ- 715НQ		r AHD Quad Monitor	Screen Size: 7 inch HD digital panel A+ Aspect ratio: 16:9 Luminance: 400cd/M2 Resolution: 1024*RGB*600 System: PAL/NTSC automatically (New Software) Video Input: 4 Ways AHD 1080P/720P/CVBS video input Multiple display modes: 19 modes Full screen display or 2/3/4 split view Voltage: DC12V-24V OSD Menu Language: Chinese, English Anti-shock: 4G Bracket: U shape bracktet With sunshade removable, Remote Control Working Temperature: -30-80 °C DVR Function optional, if need this function. add extra \$3.50	7 inch AHD QUAD; 4 video inputs	USD95.00

function, add extra \$3.50

VD1237- AR VD-1237- AL		Et/right side dail ens canter	2# Short arm Lens Camera Left or Right Side: Waterproof Level IP69K Nearby Camera: 1080p/30fps, 120°(H)*65°(V) Distant Camera: 1080p/30fps, 85°(H)*50°(V) Support WDR/HDR DC12V Aviation 4pin female connector	Short arm; Left or Right	USD85.00		
	System: 12.	3 Inch HD Mirror Monito	r with 1080P Side View	Camera			
Aotop Model	Pi	cture	Item Specification	Main feature	Unit Price		
VD-1237	12.3 inch mirror monitor		1# 12.3 inch Side Mirror: Auto Dimming/Brightness Adjustment Screen Resolution: 1920*720 Vertical Screen Size: 337.7(L) * 155(W) * 117.7(H) Screen view angle: Up, down, right, left over 170° Material of housing: PC+ABS, Anti-flaming UL94 Support max 128GB SD card Power Supply: DC12V-24V(Support DC11.7-30V) Max.current: <2A(12V) / <1A(24V) Standby current: <5mA Reverse response time: 3s 3 triggers: turn light / reverse / headlight Microphone and Speaker Working Temperature: -30°C -+70 °C Storage Temperature: -40°C-+85°C Storage RH: 0%~90%	12.3 inch Monitor; 3 channels input	USD230.00		
AC-389- AHD			2# Side View Camera: Sensor: SONY CCD Lens:2.8mm TV Line: 1080P TV System: PAL System as default Image: Mirror image as default Can not with Microphone Min illumination: 0Lux (LED ON) With IR Led Lights Night Vision distance: 45ft Waterproof: IP68 View angle: 120°(D) Power voltage:12V Connector: Aviation 4pin(Female)	Side View; 1080P	USD29.50		
Remarks: 1, Quotation valid time: One Month							
-	2, Lead time: 45-60 business days after payment (Sample is available within 3-7 days)						
3, Two ye	3, Two years warranty for above items; 4, Price is just for reference at the moment, please confirm the final price for bulk order!						